



**Yes, you can:**

Tel: 01656 776222 Fax: 01656 776220  
Email: ordersuk@invacare.com  
Online Spares available at: www.invacare.co.uk

JUNE 2023  
Customer Ref:

<b>Customer Ref*</b>	<b>Account No*</b>
<b>Contact No*</b>	<b>Order No*</b>
<b>Delivery Address*</b>	<b>Order Qty*</b>
	<b>Order date*</b>

## XLT Swing

### Standard Features

- MAX USER WEIGHT 135KG/21 STONE
- CRASH TESTED ISO7176-PART 19
- LIGHTWEIGHT TITANIUM RIGID FRAME
- 80° OR 90° SWING IN/OUT LEGREST HANGERS
- CHOICE OF 6 SEAT WIDTHS 330MM - 505MM (13" - 20")
- CHOICE OF 3 ADJUSTABLE SEAT DEPTHS 360MM - 500MM (14" - 20")
- LOCKDOWN FOLDING BACKREST, ANGLE AND TENSION ADJUSTABLE UPHOLSTERY
- WITHOUT PUSH HANDLES
- REMOVABLE CLOTHEGUARDS
- CHOICE OF 6 COLOURS
- STANDARD BRAKE LEVER BENT
- 24" SELF PROPEL Q/R REAR WHEELS

**Standard Base price: £1,659**



Please make your selection with a cross in the box    ○ Free of charge    ◆ standard feature    POA special request

Customer weight =                      KG

Code	Description	
<b>BASE PRODUCT*</b>		
BRA0010	INVACARE XLT SWING	£1,659
BRA8000	SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE	POA

PROPULSION TYPE*				
BRA0020		STANDARD WHEEL HUB	(NC 6666)	◆
BRA0030		ASSISTANT MANOEUVRED DRUMBRAKES	(NC 0400, 0710, 0860, 0870, 0880, 0930, 1600, 1660, 1740, 1760, 1990)	£268
BRA0040		ONE ARM DRIVE, LH	(NC 0055, 0310, 0320, 0400, 1540, 1600, 1610, 1640, 1660, 1670, 1680, 1690, 1700, 1710, 1730, 1740, 1760, 1770, 1820, 1850, 1940, 1950, 1990)	£369
BRA0050		ONE ARM DRIVE, RH	(NC 0055, 0310, 0320, 0400, 1540, 1600, 1610, 1640, 1660, 1670, 1680, 1690, 1700, 1710, 1730, 1740, 1760, 1770, 1810, 1840, 1940, 1950, 1990)	£369
SEAT WIDTH*				
BRA0055		330 MM	(NC 0150, 0438, 0439, 0440, 1000, 1040, 1100, 1110, 1130, 1810, 1820, 1990)	○
BRA0060		355 MM	(NC 0438, 0439, 0440, 1000, 1040, 1100, 1110, 1130, 1810, 1820, 1990)	○
BRA0070		380 MM		○
BRA0080		405 MM		○
BRA0090		430 MM		○
BRA0100		455 MM		○
BRA0110		480 MM		○
BRA0120		505 MM		○
SEAT DEPTH*				
BRA0130		400 MM ADJUSTABLE FROM SEAT DEPTH 360 TO 400 MM	(NC 1800)	◆
BRA0140		450 MM ADJUSTABLE FROM SEAT DEPTH 410 TO 450 MM		○
BRA0150		500 MM ADJUSTABLE FROM SEAT DEPTH 460 TO 500 MM		○
FRONT SEAT HEIGHT*				
BRA0170		390 MM	(NC 0330, 0340, 0350, 0360, 0370, 0380, 0390, 0400, 0500, 0510, 0520, 0530, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1450, 1460, 1470, 1485, 1490, 1510)	○
BRA0180		400 MM	(NC 0340, 0350, 0360, 0370, 0380, 0390, 0400, 0510, 0520, 0530, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1450, 1460, 1470, 1485, 1490, 1510)	○
BRA0190		410 MM	(NC 0360, 0370, 0380, 0390, 0400, 0520, 0530, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1440, 1460, 1470, 1485, 1490, 1510)	○
BRA0200		420 MM	(NC 0360, 0370, 0380, 0390, 0400, 0530, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1440, 1460, 1470, 1485, 1490, 1510)	○
BRA0210		430 MM	(NC 0370, 0380, 0390, 0400, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1470, 1485, 1490, 1510)	○
BRA0220		440 MM	(NC 0380, 0390, 0400, 0550, 0560, 0570, 0580, 0590, 0620, 1485, 1490, 1510)	○
BRA0230		450 MM	(NC 0390, 0400, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 1440, 1510)	○
BRA0240		460 MM	(NC 0310, 0570, 0580, 0590, 0600, 0610, 0620, 1440, 1450, 1460, 1485, 1490, 1510)	○
BRA0250		470 MM	(NC 0310, 0320, 0580, 0590, 0600, 0610, 0620, 1510)	○
BRA0260		480 MM	(NC 0310, 0320, 0590, 0600, 0610, 0620)	◆
BRA0270		490 MM	(NC 0310, 0320, 0330, 0600, 0610, 0620, 1440, 1460, 1485, 1490)	○
BRA0280		500 MM	(NC 0310, 0320, 0330, 0610, 0620, 1440, 1450)	○
BRA0290		510 MM	(NC 0310, 0320, 0330, 0340, 0350, 0620, 1440, 1450)	○
BRA0300		520 MM	(NC 0310, 0320, 0330, 0340, 0350, 0360, 1440, 1450, 1460, 1470)	○

REAR SEAT HEIGHT*				
BRA0310		380 MM	(NC 1550, 1600, 1870, 1880)	○
BRA0320		390 MM	(NC 1550, 1600, 1870, 1880)	○
BRA0330		400 MM	(NC 1600)	○
BRA0340		410 MM		○
BRA0350		420 MM		○
BRA0360		430 MM		○
BRA0370		440 MM		◆
BRA0380		450 MM	(NC 1540)	○
BRA0390		460 MM	(NC 1540)	○
BRA0400		470 MM	(NC 1540, 1550, 1560, 1570)	○

LOWER LEG LENGTH*				
BRA0438		260 MM ONLY WITH HANGER FIXED 90°	(NC 1000, 1010, 1040, 1050)	○
BRA0439		270 MM ONLY WITH HANGER FIXED 90°	(NC 1000, 1010, 1040, 1050)	○
BRA0440		280 MM ONLY WITH HANGER FIXED 90°	(NC 1000, 1010, 1040, 1050)	○
BRA0450		290 MM		○
BRA0460		300 MM		○
BRA0470		310 MM		○
BRA0480		320 MM		○
BRA0490		330 MM		○
BRA0500		340 MM		○
BRA0510		350 MM		◆
BRA0520		360 MM		○
BRA0530		370 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°		○
BRA0540		380 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°		○
BRA0550		390 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°		○
BRA0560		400 MM		○
BRA0570		410 MM		○
BRA0580		420 MM		○
BRA0590		430 MM		○
BRA0600		440 MM		○
BRA0610		450 MM		○
BRA0620		460 MM		○

BACKREST TYPE*				
BRA0680		TENSION ADJUSTABLE, FIXED HEIGHT, ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST BENT BACKREST TUBES	(NC 0750, 0760, 0770, 0780, 0790, 0800, 0810, 0820, 0830, 0840, 0850)	◆
BRA0690		TENSION ADJUSTABLE, HEIGHT AND ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST BENT BACKREST TUBES	(NC 0710, 0720, 0730, 0740)	○
BRA0693		TENSION ADJUSTABLE, HEIGHT AND ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST STRAIGHT BACKREST TUBES	(NC 0710, 0720, 0730, 0740)	○

<b>FIXED BACKREST*</b>			
BRA0710		200 MM	(NC 0880, 0890, 0900, 0910) ○
BRA0720		250 MM	○
BRA0730		300 MM	◆
BRA0740		350 MM	○
BRA1111		NO FIXED BACKREST, SELECT IF HEIGHT ADJUSTABLE BACKREST IS REQUIRED	(NC 2222) ○
<b>HEIGHT ADJUSTABLE BACKREST*</b>			
BRA0750		300 MM HEIGHT ADJUSTABLE FROM 300 TO 320 MM BY 20 MM STEPS	○
BRA0760		320 MM HEIGHT ADJUSTABLE FROM 300 TO 320 MM BY 20 MM STEPS	○
BRA0770		350 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BRA0780		370 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BRA0790		390 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BRA0800		400 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BRA0810		420 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BRA0820		440 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BRA0830		450 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS	○
BRA0840		470 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS	○
BRA0850		490 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS	○
BRA2222		NO HEIGHT ADJUSTABLE BACKREST, SELECT IF FIXED BACKREST IS REQUIRED	○
<b>PUSH HANDLES*</b>			
BRA0860		FIXED PUSH HANDLES	◆
BRA0870		FOLDABLE PUSH HANDLES	£148
BRA0880		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, SHORT GRIP	£53
BRA0890		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, LONG GRIP FOR DRUM BRAKES	£53
BRA0900		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, INCLUDING NECKREST, LONG GRIP FOR DRUM BRAKES	£88
BRA0910		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, INCLUDING HEADREST, LONG GRIP FOR DRUM BRAKES	£111
BRA0930		WITHOUT PUSH HANDLES	○
<b>SEAT UPHOLSTERY*</b>			
BRA0940		VELCRO TENSION- AND DEPTH ADJUSTABLE, INFINITELY VARIABLE ON 40 MM.	◆
<b>SEAT CUSHION</b>			
BRA0960		STANDARD SEAT CUSHION	○
BRA0990		WITHOUT SEAT CUSHION	◆
<b>LEGRESTS LH*</b>			
BRA1000		HANGER ANGLE ADJUSTABLE INCLUDING CALF SUPPORT, LH ONLY IN BLACK	(NC 1080, 1100) £67
BRA1010		HANGER FIXED 80°, SWING IN SWING OUT - LH	◆

<b>LEGRESTS RH*</b>			
BRA1040	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE INCLUDING CALF SUPPORT, RH ONLY IN BLACK (NC 1080, 1100)	£67
BRA1050	<input type="checkbox"/>	HANGER FIXED 80°, SWING IN SWING OUT RH	◆
<b>LEGREST COLOUR*</b>			
BRA1080	<input type="checkbox"/>	AS THE CHASSIS COLOUR	○
BRA1090	<input type="checkbox"/>	BLACK	○
<b>FOOTREST LH*</b>			
BRA1100	<input type="checkbox"/>	FOOTREST ONE PIECE, FLIP-UP, DEPTH- AND ANGLE ADJUSTABLE (NC 1110, 1120, 1130, 1140, 1340)	£104
BRA1110	<input type="checkbox"/>	FOOTREST LOWER PART, FIXED, LH	◆
BRA1120	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH- AND ANGLE ADJUSTABLE, LH	£38
<b>FOOTREST RH*</b>			
BRA1130	<input type="checkbox"/>	FOOTREST LOWER PART, FIXED, RH	◆
BRA1140	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH- AND ANGLE ADJUSTABLE, RH	£38
BRA3333	<input type="checkbox"/>	FOOTREST ONE PIECE, ONLY SELECT WITH OPTION 1100	○
<b>CLOTHESGUARDS/ARMRESTS LH*</b>			
BRA1150	<input type="checkbox"/>	CLOTHESGUARD, REMOVABLE, LH	◆
BRA1160	<input type="checkbox"/>	MUDGUARD, REMOVABLE, LH (NC 1740)	£45
BRA1170	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE, SHORT PAD (280 MM) LH	£38
BRA1180	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE, LONG PAD (380 MM) LH	£38
BRA1190	<input type="checkbox"/>	ARMREST FLIP-UP, HEIGHT ADJUSTABLE, SHORT PAD (280 MM) LH	£38
BRA1200	<input type="checkbox"/>	ARMREST FLIP-UP, HEIGHT ADJUSTABLE, LONG PAD (380 MM) LH	£45
<b>CLOTHESGUARDS/ARMRESTS RH*</b>			
BRA1230	<input type="checkbox"/>	CLOTHESGUARD, REMOVABLE, RH	◆
BRA1240	<input type="checkbox"/>	MUDGUARD, REMOVABLE, RH (NC 1740)	£45
BRA1250	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE, SHORT PAD (280 MM), RH	£38
BRA1260	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE, LONG PAD (380 MM), RH	£38
BRA1270	<input type="checkbox"/>	ARMREST FLIP-UP, HEIGHT ADJUSTABLE, SHORT PAD (280 MM), RH	£38
BRA1280	<input type="checkbox"/>	ARMREST FLIP-UP, HEIGHT ADJUSTABLE, LONG PAD (380 MM), RH	£45
<b>FOOTREST OPTIONS</b>			
BRA1340	<input type="checkbox"/>	HEEL LOOPS	£18
BRA1350	<input type="checkbox"/>	CALF STRAP	£13
<b>FRAME COLOUR*</b>			
BRA1380	<input type="checkbox"/>	ANTHRACITE BLACK	○
<b>CASTOR ATTACHMENT*</b>			
BRA1430	<input type="checkbox"/>	BEARING BLOCK WITH ANGLE ADJUSTMENT	◆

FRONT CASTORS*			
BRA1440		75X24 HARD (3")	○
BRA1450		100X27 MEDIUM HARD (4")	◆
BRA1460		125X27 MEDIUM HARD (5")	○
BRA1470		140X40 SOFT (5,5")	○
BRA1485		150X30 MEDIUM HARD (6")	○
BRA1490		150X30 SOFT (6")	○
BRA1510		180X40 SOFT (7")	○
CASTOR FORK*			
BRA1530		FIXED STEPS	◆
REAR WHEEL TYPE*			
BRA1540		22" STANDARD (NC 1660, 1680, 1710, 1990)	○
BRA1550		24" STANDARD	◆
BRA1560		24" SPORTY, LOW PROFILE (24X1") WITH ALUMINIUM HANDRIMS AND PNEUMATIC TYRES (NC 1610, 1630, 1640, 1660, 1680, 1690, 1700, 1710, 1770, 1990)	○
BRA1570		24" SPORTY, LOW PROFILE (24X1"), BLACK MARATHON EVOLUTION TYRE, ALUMINIUM HANDRIMS Please note, the cost of the Marathon tyre is not included and must be selected in the tyre section below. (NC 1610, 1630, 1640, 1680, 1690, 1700, 1710, 1770, 1990, 4444)	£75
BRA1600		26" LOW PROFILE (26X1"), ALUMINIUM HANDRIMS COMPLETE WHEEL (NC 1630, 1640, 1660, 1680, 1710, 1770, 1990)	£69
TYRE TYPE*			
BRA1610		TYRES PNEUMATIC NON MARKING	○
BRA1630		TYRES SOLID	◆
BRA1640		TYRES PUNCTUREPROOF	○
BRA1660		TYRES BLACK MARATHON EVOLUTION ONLY FOR 24" STANDARD REAR WHEEL	£75
BRA4444		NO TYRE, ONLY SELECT WITH OPTIONS 1560 AND 1600	○
HANDRIM TYPE*			
BRA1670		HANDRIM ALUMINIUM	◆
BRA1680		HANDRIM STAINLESS	○
BRA1690		HANDRIM PLASTIC COATED	£26
BRA1700		HANDRIM FOAM COATED	£26
BRA1710		HANDRIM BLACK GRIP	£26
BRA5555		WITHOUT HANDRIM, ONLY SELECT WITH OPTIONS 0040, 0050, 1560, 1570, HANDRIMS INCLUDED IN WHEEL CHOICE	○
REAR WHEEL FIXATION*			
BRA1730		STANDARD REAR WHEEL FIXATION	◆
BRA1740		REAR WHEEL EXTENSION (NC 1760, 1800, 1870, 1880, 1990)	○
BPA6666		NO REAR WHEEL FIXATION, ONLY SELECT WITH OPTIONS 0040 AND 0050 ONE ARM DRIVE	○
CAMBER ANGLE*			
BRA1750		0° CAMBER	◆
BRA1760		3° CAMBER (NC 1990)	○
SPOKEGUARD			
BRA1770		SPOKEGUARD FROST ONLY FOR 22" AND 24" STANDARD REAR WHEELS	£45

<b>BRAKE*</b>			
BRA1780		STANDARD BRAKE LEVER BENT	◆
BRA1800		KÜSCHALL ACTIVE BRAKE (NC 1840, 1850, 1990)	£55
BRA1810		ONE ARM BRAKE INCLUDING BRAKE LEVER EXTENSION, LH (NC 1840, 1850)	£126
BRA1820		ONE ARM BRAKE INCLUDING BRAKE LEVER EXTENSION, RH (NC 1840, 1850)	£126
<b>SAFETY OPTIONS</b>			
BRA1830		PELVIC BELT	○
BRA1840		BRAKE LEVER EXTENSION, FOLD AWAY, LH	£13
BRA1850		BRAKE LEVER EXTENSION, FOLD AWAY, RH	£13
BRA1870		ANTI-TIP DEVICES, SWING AWAY, LH FOR SAFETY (NC 1940) 2 ANTI-TIPS ARE RECOMMENDED	£34
BRA1880		ANTI-TIP DEVICES, SWING AWAY, RH FOR SAFETY (NC 1950) 2 ANTI-TIPS ARE RECOMMENDED	£34
<b>OTHER OPTIONS</b>			
BRA1940		CANE HOLDER, LH	£18
BRA1950		CANE HOLDER, RH	£18
BRA1960		STEP TUBE / TIPPER AID, LH	£18
BRA1970		STEP TUBE / TIPPER AID, RH	£18
BRA1980		TOOL KIT	◆
BRA1990		MOUNTING BRACKET E-MOTION	£190

<b>TOTAL PRICE</b>	
--------------------	--

**Non Conforming Options:**

BRA0055	330 MM
BRA0150	500 MM ADJUSTABLE FROM SEAT DEPTH 460 TO 500 MM
BRA0310	380 MM
BRA0320	390 MM
BRA0330	400 MM
BRA0340	410 MM
BRA0350	420 MM
BRA0360	430 MM
BRA0370	440 MM
BRA0380	450 MM
BRA0390	460 MM
BRA0400	470 MM
BRA0438	260 MM ONLY WITH HANGER FIXED 90°
BRA0439	270 MM ONLY WITH HANGER FIXED 90°
BRA0440	280 MM ONLY WITH HANGER FIXED 90°
BRA0500	340 MM
BRA0510	350 MM
BRA0520	360 MM
BRA0530	370 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°
BRA0540	380 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°
BRA0550	390 MM ONLY WITH HANGER ANGLE ADJUSTABLE OR HANGER FIXED 80°
BRA0560	400 MM
BRA0570	410 MM
BRA0580	420 MM
BRA0590	430 MM
BRA0600	440 MM
BRA0610	450 MM
BRA0620	460 MM
BRA0710	200 MM
BRA0720	250 MM
BRA0730	300 MM
BRA0740	350 MM
BRA0750	300 MM HEIGHT ADJUSTABLE FROM 300 TO 320 MM BY 20 MM STEPS
BRA0760	320 MM HEIGHT ADJUSTABLE FROM 300 TO 320 MM BY 20 MM STEPS
BRA0770	350 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BRA0780	370 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BRA0790	390 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BRA0800	400 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BRA0810	420 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BRA0820	440 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BRA0830	450 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS
BRA0840	470 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS
BRA0850	490 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS



BRA2222	NO HEIGHT ADJUSTABLE BACKREST, SELECT IF FIXED BACKREST IS REQUIRED
BRA0860	FIXED PUSH HANDLES
BRA0870	FOLDABLE PUSH HANDLES
BRA0880	HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, SHORT GRIP
BRA0890	HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, LONG GRIP FOR DRUM BRAKES
BRA0900	HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, INCLUDING NECKREST, LONG GRIP FOR DRUM BRAKES
BRA0910	HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, INCLUDING HEADREST, LONG GRIP FOR DRUM BRAKES
BRA0930	WITHOUT PUSH HANDLES
BRA1000	HANGER ANGLE ADJUSTABLE INCLUDING CALF SUPPORT, LH ONLY IN BLACK
BRA1010	HANGER FIXED 80°, SWING IN SWING OUT - LH
BRA1040	HANGER ANGLE ADJUSTABLE INCLUDING CALF SUPPORT, RH ONLY IN BLACK
BRA1050	HANGER FIXED 80°, SWING IN SWING OUT RH
BRA1080	AS THE CHASSIS COLOUR
BRA1100	FOOTREST ONE PIECE, FLIP-UP, DEPTH- AND ANGLE ADJUSTABLE
BRA1110	FOOTREST LOWER PART, FIXED, LH
BRA1120	FOOTREST LOWER PART, DEPTH- AND ANGLE ADJUSTABLE, LH
BRA1130	FOOTREST LOWER PART, FIXED, RH
BRA1140	FOOTREST LOWER PART, DEPTH- AND ANGLE ADJUSTABLE, RH
BRA1340	HEEL LOOPS
BRA1440	75X24 HARD (3")
BRA1450	100X27 MEDIUM HARD (4")
BRA1460	125X27 MEDIUM HARD (5")
BRA1470	140X40 SOFT (5,5")
BRA1485	150X30 MEDIUM HARD (6")
BRA1490	150X30 SOFT (6")
BRA1510	180X40 SOFT (7")
BRA1540	22" STANDARD
BRA1550	24" STANDARD
BRA1560	24" SPORTY, LOW PROFILE (24X1") WITH ALUMINIUM HANDRIMS AND PNEUMATIC TYRES
BRA1570	24" SPORTY, LOW PROFILE (24X1"), BLACK MARATHON EVOLUTION TYRE, ALUMINIUM HANDRIMS Please note, the cost of the Marathon tyre is not included and must be selected in the tyre section below.
BRA1600	26" LOW PROFILE (26X1"), ALUMINIUM HANDRIMS COMPLETE WHEEL
BRA1610	TYRES PNEUMATIC NON MARKING
BRA1630	TYRES SOLID
BRA1640	TYRES PUNCTUREPROOF
BRA1660	TYRES BLACK MARATHON EVOLUTION ONLY FOR 24" STANDARD REAR WHEEL
BRA4444	NO TYRE, ONLY SELECT WITH OPTIONS 1560 AND 1600
BRA1670	HANDRIM ALUMINIUM
BRA1680	HANDRIM STAINLESS
BRA1690	HANDRIM PLASTIC COATED
BRA1700	HANDRIM FOAM COATED
BRA1710	HANDRIM BLACK GRIP
BRA1730	STANDARD REAR WHEEL FIXATION
BRA1740	REAR WHEEL EXTENSION
BPA6666	NO REAR WHEEL FIXATION, ONLY SELECT WITH OPTIONS 0040 AND 0050 ONE ARM DRIVE

BRA1760	3° CAMBER
BRA1770	SPOKEGUARD FROST ONLY FOR 22" AND 24" STANDARD REAR WHEELS
BRA1800	KÜSCHALL ACTIVE BRAKE
BRA1810	ONE ARM BRAKE INCLUDING BRAKE LEVER EXTENSION, LH
BRA1820	ONE ARM BRAKE INCLUDING BRAKE LEVER EXTENSION, RH
BRA1840	BRAKE LEVER EXTENSION, FOLD AWAY, LH
BRA1850	BRAKE LEVER EXTENSION, FOLD AWAY, RH
BRA1870	ANTI-TIP DEVICES, SWING AWAY, LH FOR SAFETY 2 ANTI-TIPS ARE RECOMMENDED
BRA1880	ANTI-TIP DEVICES, SWING AWAY, RH FOR SAFETY 2 ANTI-TIPS ARE RECOMMENDED
BRA1940	CANE HOLDER, LH
BRA1950	CANE HOLDER, RH
BRA1990	MOUNTING BRACKET E-MOTION



For a more complex customer requirement please refer to our Invacare Unique special order form. email [specialsuk@invacare.com](mailto:specialsuk@invacare.com) or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: \_\_\_\_\_ Email: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Description of special request (please include relevant option code or part number):